

FORGET HUMIDITY FOR EVER!



EU STANDARDS

The equipment comply to all of the applicable EU directives and regulations.



MADE IN EUROPE

All components made exclusively by European manufacturers.



VAST EXPERIENCE

Practical experience in the desiccant dehumidification more than 15 years.



TECHNICAL DATASHEET

Desiccant dehumidifier MDC 7500

GENERAL INFORMATION

Desiccant dehumidifier MDC 7500 specially designed for the ice arenas, suitable for low temperature and low humidity operation. Unit includes desiccant rotor, EC-fans, reactivation heater, filters and controls.

Panels insulated with 40 mm rock wool insulation. Casing made of aluzink steel, coated by powder painting.

In addition to above mentioned application, desiccant dehumidifiers are irreplaceable in:



Protecting against window condensation and glass ceiling in the administrative as well as residential buildings.



Improving the quality of the finishing works during apartment repairs due to drying without thermal movements in the covering products used for walls, floor and ceiling.



Elimination of the effects of the floods, drying new buildings.



Increasing the shelf life of hygroscopic materials: medicines, detergents, building materials and other bulk materials.



Maintaining a low level of humidity during the production of food items as well as products made of wood, rubber and plastic, during the manufacture of furs.




Maintaining the marketable condition of clothing and packaging items.



Reducing the growth of bacteria, etc.

METHOD OF OPERATION

A desiccant dehumidifier removes water from a flow of the air that passes through it. The heart of this process is an adsorption rotor coated with a special substance that absorbs the water molecules that make up the moisture in the passing air (Process air). When saturated, the rotor is rotated over to a regeneration zone, where it is dried with heated air (Reactivation air). The warm, humid regeneration air is led away out of the unit (Wet air) and the rotor is once again ready to absorb water molecules.



CONSTRUCTIONAL FEATURES

- The casing is completely hermetic and panels are made of 1,0mm AluZinc sheet metal with isolation of 40mm (rock wool); it has high resistance to atmospheric corrosion. Powder painted panels (outside only); rigid frame made of 1,5mm AluZinc sheet metal (powder painted completely) to achieve rigidity;
- · Compact design and low weight of the unit;
- High performance at low temperatures and low relative humidity in a room;
- Optional humidistat is available as an accessory;
- Microprocessor based control (optional);
- Tubular electric heating elements for regeneration (standard unit) as well as on request with water, steam or gas heating coil (customized unit);
- Easy access to the internal components of the dehumidifier for the maintenance;
- EC-fans;
- · Pocket filters G4 to F9 on request;
- High efficiency of the washable silica gel rotor;
- All components made exclusively by European manufacturers.

TECHNICAL DATA


Process air							
Rated airflow	4400 CFM	7500 m³/h					
Available static pressu	400 Pa						
Reactivation air							
Rated airflow	890 CFM	1500 m³/h					
Available static pressu	300 Pa						
Power supply (electric reactivation)							
(3x480V, 60 Hz)		44 kW					
Current		64 A					
Power supply (steam/water/gas reactivation)							
(3x480V, 60 Hz)		8 kW					
Current		12 A					

Miscellaneous data							
Dehumidification capacity (at 68°F (20°C), 60%RH)	74.96 lb/h	34,0 kg/h					
Weight	1874 lbs	850 kg					
Operating temperature	-22/+104°F	-30/+40℃					
Max noise level without du	70 dBA						
Air filter		EU4÷EU9					
IEC protective class		IP55					
Insulation		40 mm					

DEHUMIDIFICATION CAPACITY

	50%	60%	70%	80%	90%
41°F 5°C	15,1	17,4	20,2	23,0	25,2
50°F10°C	20,1	23,3	25,2	30,1	32,8
68°F20°C	30,0	34,0	36,2	40,4	41,5
86°F30°C	37,6	38,4	41,2	45,3	45,6

Approximate capacity in kg/h at different inlet process air relative humidity (%) and temperature (°C)





Temperature increase in dry air


Example


Xprocess=16,5g/kg d.a.; tprocess=30°C

Xdry=12g/kg d.a.; Δt =13,7°C; tdry=30+13,7=43,7°C









Changes are possible without notice.



UAB DESICCANT TECHNOLOGIES GROUP

E-mail: info@visionaq.com Ph.: +1 825 925 56 55 www.visionaq.com